

Title	First Name (Corr. Author)	Last Name (Corr. Author)	Email
On the Functional Role of Noise Correlations in the Nervous System	Stefan D.	Wilke	swilke@physik.uni-bremen.de
Morphometric Modeling of Olfactory Neurons in the Insect Brain	Giampaolo	D'Alessandro	G.D'Alessandro@maths.soton.ac.uk
Rank Order Decoding of Temporal Parallel Fibre Input Patterns in a Complex Purkinje Cell Model	Volker	Steuber	volker@bbf.uia.ac.be
A model of hippocampal circuitry mediating goal-driven navigation in a familiar environment	Anatoli	Gorchetchnikov	anatoli@cns.bu.edu
Short-term plasticity shapes normal and Parkinsonian activity patterns in the globus pallidus	Dieter	Jaeger	djaeger@emory.edu
A NEW MODEL FOR Ca +2 WAVES IN ASTROCYTES: GLUTAMATE INDUCED GLUTAMATE RELEASE	Raima	Larter	larter@chem.iupui.edu
A General Framework for Neurobiological Modeling: An Application to the Vestibular System	Chris	Eliasmith	eliasmith@uwaterloo.ca
Mechanistic Modeling of the Retinogeniculate Circuit in Cat	Hans E.	Plessner	hans.plessner@itf.nlh.no
The Role of Muscle Spindles in Constraining Motor Control - A Simulation Study	Bjorn G.	Nielsen	bjorn.nielsen@fysik.dtu.dk
AN ALTERNATIVE APPROACH TO INFOMAX AND INDEPENDENT COMPONENT ANALYSIS	Aapo	Hyvarinen	Aapo.Hyvarinen@hut.fi
Dynamic routing of action potentials	Adam	Kepecs	kepecs@brandeis.edu
Dynamic adaptation to statistics in a neural code	Adrienne	Fairhall	adrienne@research.nj.nec.com
The structural basis of information transfer from medial temporal lobe to prefrontal cortex in the macaque monkey	Rolf	Kotter	rk@hirn.uni-duesseldorf.de
Problem-solving Behavior in a System Model of the Primate Neocortex	Alan H.	Bond	bond@vision.caltech.edu
Modulation of visual cortical neurons by selective spatial attention in a recurrent network model	Albert	Compte	acompte@brandeis.edu
Formation of pinwheels of preferred orientation by learning sparse neural representations of natural images	Albert	Moukovski	mukovski@neuroinformatik.ruhr-uni-bochum.de
Spike pattern-based coding schemes in the cricket cercal sensory system	Alexander G.	Dimitrov	alex@cns.montana.edu
LARGE-SCALE MODELS OF THE LOCOMOTOR SPINAL NETWORK OF LAMPREY	Alexander	Kozlov	akozlov@nada.kth.se

Correlated Poisson Spike Trains and their Effects on the Response of the Integrate-and-Fire Neuron	Alexandre Kuhn		kuhn@biologie.uni-freiburg.de
Hippocampal Cognitive Maps: An Alternative View	Alexei Samsonovich		asamsono@gmu.edu
MEAN FIRING RATE AND CV OF A LIF NEURON WITH EXPONENTIALLY CORRELATED INPUT	Ruben Moreno		rmoreno@delta.ft.uam.es
Adaptation and post-inhibitory Rebound shape responses in a model of dynamic conditioning in the auditory midbrain	Alla Borisuk		borisyuk@cims.nyu.edu
RECURRENT GLOBAL DYNAMICS UNDERLIE PERCEPTUAL GROUPING	Allan Dobbins		adobbins@uab.edu
Perceptual Geometry of Space and Form: Visual Perception of Scenes And Places	Amir Assadi		ahassadi@facstaff.wisc.edu
Nonstationary PCA For Network Feature Extraction In Multielectrode Recording Of Neuropsychological Data In Cortical Substrates Of Pain	Dian Fallahati		dmfallahati@students.wisc.edu
Nonlinear features in MEG and functional MRI data of human brain	Amir H. Assadi		assadi@math.wisc.edu
Nonlinear Dynamics and Motion In Human Face Image Space	Amir H. Assadi		ahassadi@facstaff.wisc.edu
CLIMBING FIBERS AS CLOCKS - NOT ERROR DETECTORS: A NEW MODEL OF CEREBELLAR LEARNING	Thomas J. Anastasio		tja@uiuc.edu
Reinforcement and memory consolidation in interacting attractor networks with fast and slow learning dynamics	Anders Sandberg		asa@nada.kth.se
Functional imaging and neuronal information processing	Angel Nevado		anevado@delta.ft.uam.es
SIMULATIONS OF SPACE-CLAMP ERRORS IN ESTIMATING PARAMETERS OF VOLTAGE-GATED CONDUCTANCES LOCALIZED AT DIFFERENT ELECTROTONIC DISTANCES	Ann M. Castelfranco		castelf@pbrc.hawaii.edu
Limitations of Spectral-Temporal Receptive Field Predictions By Neural Noise	Anne Hsu		showen@uclink4.berkeley.edu
The onset response of a balanced leaky integrate-and-fire neuron with reversal potentials	Anthony N. Burkitt		a.burkitt@medoto.unimelb.edu.au
An information-theoretic analysis of the coding of a periodic synaptic input by integrate-and-fire neurons	Anthony N. Burkitt		a.burkitt@medoto.unimelb.edu.au
SIMULATION OF A VERTEBRATE RECEPTOR CELL OF THE OLFACTORY EPITHELIUM FOR USE IN NETWORK MODELS	Fábio M. Simões-de-Souza		fabioms@neuron.ffclrp.usp.br

A BIOLOGICALLY PLAUSIBLE NEURAL NETWORK MODEL OF THE PRIMATE PRIMARY VISUAL SYSTEM	Rodrigo F.	Oliveira	rodrigo@neuron.ffclrp.usp.br
From single-trial ERPs to brain area dynamics: Sequential activations during rapid categorization of natural images	A.	Delorme	arno@salk.edu
SIMULATION OF SACCADIC EYE MOVEMENTS USING A POPULATION OF BIOLOGICAL NEURONS	Ashoka D.	Polpitiya	adpol@zach.wustl.edu
A minimal model of the auditory periphery explains the timing and precision of the auditory first-spike	Suresh	Krishna	suresh@cns.nyu.edu
CALCIUM AND FACILITATION IN NERVE TERMINALS:A MONTE CARLO INVESTIGATION INCORPORATING A CALCIUM-BINDING FACILITATION SITE	William G.	Gibson	billg@maths.usyd.edu.au
Modeling Place Cell Firing: Phase Precession and the Firing Rate Code	Victoria	Booth	vbooth@m.njit.edu
BRAIN TISSUE SCANNER ENABLES BRAIN MICROSTRUCTURE SURVEYS	Bruce	McCormick	mccormick@cs.tamu.edu
Sparse codes and spikes	Bruno A.	Olshausen	baolshausen@ucdavis.edu
Retrieval dynamics in 'many-columns' neocortical models	Carlo	Fulvi Mari	C.Fulvi-Mari@ulg.ac.be
GHOSTBURSTING: A NOVEL BURSTING MECHANISM IN PYRAMIDAL CELLS	Carlo	Laing	claing@science.uottawa.ca
The role of mid-dorsolateral prefrontal cortex in working memory: a connectionist model	Carter	Wendelken	carterw@icsi.berkeley.edu
Dynamics of the Synfire Chain:Intrinsic and Interacting Properties of Pulse Packets Revealed by t e Fokker-Planck Equation	Hideyuki	Câteau	cateau@brain.inf.eng.tamagawa.ac.jp,
MUTUAL INFORMATION CALCULATION USING EMPIRICAL CLASSIFICATION	Charlotte M.	Gruner	cmgruner@vcn.com
ON THE VARIABILITY OF THE INTEGRATE-AND-FIRE NEURONS WITH PARTIAL RESET IN THE PRESENCE OF INHIBITION	Chris	Christodoulou	chris@dcs.bbk.ac.uk
EVOLVING FIELD MODELS FOR INHIBITION EFFECTS IN EARLY VISION	Christian	Igel	christian.igel@neuroinformatik.ruhr-uni-bochum.de
How synchrony among antennal lobe neurons affects odor discrimination	Thomas A.	Cleland	tac29@cornell.edu
Recognizing the gist of a visual scene: possible perceptual and neural mechanisms	Christoph	Rasche	rasche@klab.caltech.edu
Cyclic Feed-forward Associative Memory Networks and their Relevance to the Hippocampus	Kit	Longden	kit@anc.ed.ac.uk

Classes and gradients of prefrontal cortical organization in the primate	C.C.	Hilgetag	claush@bu.edu;
EXTENDED HODGKIN HUXLEY TYPE MODEL FOR ACTION POTENTIAL FIRING AND PROPAGATION IN NRK FIBROBLAST CULTURES	L. Niels	Cornelisse	cornelis@sci.kun.nl
How much information is encoded about a particular stimulus?	Daniel A.	Butts	dbutts@hms.harvard.edu
A MODEL OF LIMBED LOCOMOTION FOR A FOUR MUSCLE SYSTEM	David	Boothe	boothe@glue.umd.edu
BIPERIODIC STOCHASTIC OSCILLATIONS IN PADDLEFISH ELECTRORECEPTORS	David F.	Russell	drussell@admiral.umsl.edu
Object recognition and clustering in a coupled chaotic oscillator network with modulated synchronization	David	DeMaris	demaris@ece.utexas.edu
A Spike Train Analysis for Quantifying Inhibitory Near-Synchrony in Spike Firings	David C.	Tam	dtam@unt.edu
Synaptic Depression and Facilitation Can Induce Motion Aftereffects in an Excitable Membrane Model of Visual Motion Processing	Davis	Barch	dbarch@uclink4.berkeley.edu
Slowly Moving Stimuli Induce Characteristic Periodic Activity Waves in an Excitable Membrane Model of Visual Motion Processing	Davis	Barch	dbarch@uclink4.berkeley.edu
When Mind Meets Brain: Effects of Eye Movements on the Flow of Information During Free-Viewing Natural Time-Warying Images	Dawei W.	Dong	dawei@dove.ccs.fau.edu
NOISY CODING AND OSCILLATIONS REGULATE SYNAPTIC GAIN IN SYMPATHETIC GANGLIA	Diek W.	Wheeler	diek@pitt.edu
Modeling Visual Search Experiments: The Selective Attention for Identification Model (SAIM)	Dietmar	Heinke	d.g.heinke@bham.ac.uk
Effects of short-time synaptic plasticity on the associative memory	Dmitri	Bibitchkov	dmitri@chaos.gwdg.de
OPTIMAL STIMULUS CODING BY POPULATIONS	Don H.	Johnson	dhj@rice.edu
Ideal Observer of Single Neuron Activity	Jianfeng	Feng	jf218@cam.ac.uk
A Neural Ensemble Model of the Respiratory Central Pattern Generator: Properties of the Minimal Model	Witali L.	Dunin-Barkowski	phywdb@physiology.ttuhscl.edu
Analysis of Output of All Purkinje Cells, Controlled by One Climbing Fiber Cell	Witali L.	Dunin-Barkowski	phywdb@physiology.ttuhscl.edu
FEED-FORWARD INHIBITION IN THE VISUAL THALAMUS	Efstratios K.	Kosmidis	kosmidis@u444.jussieu.fr
ON FORWARD KINEMATICS MODELS FOR VISUALLY GUIDED HAND POSITION CONTROL	Eimei	Oyama	eimei@mel.go.jp

Chaotic grounded learning in large recurrent networks	Emmanuel	DAUCE	dauce@cert.fr
Elucidating Sources of Modulation for Behaviorally-Mediated Tactile Response Characteristics	Erika E.	Fanselow	efanse@neuro.duke.edu
EXPLORING A ROLE FOR CA1	Evan	Haskell	haskell@sissa.it
Self-oscillatory dynamics in recurrent excitatory networks	Fabian	Alvarez	fapa@fcien.edu.uy
Channel Noise In A Reconstructed Multi-Compartmental Hodgkin-Huxley Model	J-M.	Fellous	fellous@salk.edu
SLOWLY-INACTIVATING POTASSIUM CONDUCTANCES IN A SIMPLE COMPARTMENTAL INTERNEURON MODEL	Fernanda	Saraga	fernanda.saraga@utoronto.ca
i°Stochastic resonance in visual cortical neurons: Does the eye-tremor actually improve visual acuity?j±	Nicolas	Kerscher	kerscher@neurop.ruhr-uni-bochum.de
GAIN MODULATION THROUGH BALANCED SYNAPTIC INPUT	Frances S.	Chance	chance@cns.nyu.edu
Scaling a slow wave sleep cortical network model using NEOSIM	F.	Howell	fwh@anc.ed.ac.uk
IS VOLTAGE DEPENDENT SYNAPTIC TRANSMISSION IN NMDA RECEPTORS A ROBUST MECHANISM FOR WORKING MEMORY?	Andreas	Knoblauch	andreas.knoblauch@neuro.informatik.uni-ulm.de
OPTIMAL SPONTANEOUS ACTIVITY IN NEURAL NETWORK MODELING	Daniel	Remondini	remondin@bofi79.df.unibo.it
Memory Consolidation through Synaptic Reentry Reinforcement and Weight Decay	Gayle M.	Wittenberg	gaylew@princeton.edu
A Simulator for the Analysis of Neuronal Ensemble Activity: Application to Reaching Tasks	George S.	Hugh	hughgs@duke.edu
BURSTING IN LEECH HEART INTERNEURONS: CELL AUTONOMOUS AND NETWORK BASED MECHANISMS	Gennady S.	Cymbalyuk	gcym@biology.emory.edu
Discharge rate of neocortical pyramidal cells in response to noisy input currents	Alexander	Rauch	rauch@pyl.unibe.ch
Adjusting stochastic resonance in a leaky integrate and fire neuron to sub-threshold stimulus distributions	Gregor	Wenning	grewe@cs.tu-berlin.de
Converging Evidence for a General Form of Synaptic Plasticity: Synaptic Dynamics and Comparison to Abstract Rules.	Harel Z.	Shouval	hzs@cns.brown.edu
A structure preserving image transformation as the goal of visual sensory coding	Hauke	Bartsch	hauke@cs.tu-berlin.de
PHASE-LOCKED OSCILLATIONS IN A NEURONAL NETWORK MODEL	H.	Nagashino	nagasino@ee.tokushima-u.ac.jp

PHYSILOGICAL MODELLING OF A POSSIBLE NEURAL MECHANISM FOR COGNITIVE TIMING	Hiroshi	Okamoto	hiroshi.okamoto@fujixerox.co.jp
ROLE OF INFRASLOW (0 - 0.5 HZ) POTENTIALS OSCILLATIONS IN THE REGULATION OF BRAIN STRESS RESPONSE BY THE LOCUS COERULEUS SYSTEM	Igor V.	Filippov	filippov@yma.ac.ru
Neural mechanisms for respiratory rhythm generation: state dependency and switching	Ilya A.	Rybak	rybak@cbis.ece.drexel.edu
THETA FREQUENCY LOCKING BY SLOW GABA (A) SYNAPTIC INHIBITION IN A HIPPOCAMPAL SLM INTERNEURONAL NETWORK MODEL	Isao	Yamaguchi	isao.yamaguchi@fujixerox.co.jp
VISUALIZING PLASTIC CHANGE IN A LARGE MODEL OF SOMATOSENSORY CORTEX USING AN ADAPTIVE COORDINATES ALGORITHM	Jackson	Beatty	beatty@ucla.edu
Modeling large cortical networks with growing self-organizing maps	James A.	Bednar	jbednar@cs.utexas.edu
Topography from time-to-space transformations	Jan	Wiemer	jan.wiemer@neuroinformatik.ruhr-uni-bochum.de
Speech recognition with spiking neurons and dynamic synapses: A model motivated by the human auditory pathway	Christian	Naeger	naeger@in.tum.de
Sensitivity to interstimulus interval due to calcium interactions in the Purkinje cell spines	Jeanette	Hellgren Kotaleski	jhallgre@mind.krasnow.gmu.edu
Correlation and Rate-Sensitive Firing Regimes Learned with an Adaptive Spike-Dependent Plasticity Rule	Jesper	Tegner	jesper@brandeis.edu
Training Neurons With The Informax Principle	Jianfeng	Feng	jianfeng@cogs.susx.ac.uk
Central and Peripheral Control of Intersegmental Coordination of Leech Swimming	Jianhua	Cang	jc4r@virginia.edu
Signal loss with neural controllers	Gabriele	Scheler	scheler@icsi.berkeley.edu
MULTI-LEVEL NETWORK MODELLING OF CORTICAL DYNAMICS BUILT ON THE GENESIS ENVIRONMENT	Jonas	Dyhrfjeld-Johnsen	dyhrfjel@uni-duesseldorf.de
ACTIVITY PATTERNS IN THE INDIRECT PATHWAY OF THE BASAL GANGLIA	David	Terman	terman@math.ohio-state.edu
Towards computational and robotic emulation of animal cognition and behaviour	Jonghan	Shin	shin@brainway.riken.go.jp
Spectral noise shaping neural coding hypothesis: A brief history and physiological implications	Jonghan	Shin	shin@brainway.riken.go.jp

Entrainment,Arnold tongues, and duality in a periodically driven Integrate-and-Fire model	Joaquin	Escalona	oaquin@servm.fc.uaem.mx
Functional relevance of heterogeneous presynaptic release-probabilities	Julia	Trommershäuser	trommer@theorie.physik.uni-goettingen.de
Synapto-Synaptic Interactions speed up Dynamic Link Matching	Junmei	Zhu	junmeizh@selforg.usc.edu
A connectivity-based model of prefrontal activity in schizophrenia	Lars	Kamper	kamper@uni-duesseldorf.de
QUANTITATIVE ANALYSIS OF KERNEL PROPERTIES IN KOHONEN'S SELF-ORGANIZING MAP ALGORITHM: BUBBLE, GAUSSIAN, AND DIFFERENCE OF GAUSSIAN NEIGHBORHOODS	Mimi	Liljeholm	mlil@ucla.edu
Implementation of multilayer perceptron networks by populations of spiking neurons using rate coding	Marc	de Kamps	kamps@fsw.leidenuniv.nl,
"Spike Sorting: A Novel Shift and Amplitude Invariant Technique"	Karim G.	Oweiss	koweiss@umich.edu
Sustained Activity with Low Firing Rate in a Recurrent Network Regulated by Spike-Timing-Dependent Plasticity	Katsunori	Kitano	kitano@brain.inf.eng.tamagawa.ac.jp
INTERACTIONS AMONG CORTICAL MAPS	Kirill N.	Shokhirev	kirills@socrates.berkeley.edu
CLASSIFICATION OF EEG PATTERNS USING NONLINEAR DYNAMICS AND CHAOS	Robert	Kozma	rkozma@memphis.edu
Spatio-temporal dynamics of epileptic seizures	K.K.	Jerger	kjerger@gmu.edu
Coherence detection in a spiking neuron via Hebbian learning	Laurent	Perrinet	perrinet@cert.fr
A computationally efficient abstraction of long-term potentiation	Lokendra	Shastri	shastri@icsi.berkeley.edu
TRACKING RECEPTIVE FIELD DYNAMICS IN CA1 AND THE ENTORHINAL CORTEX WITH AN ADAPTIVE POINT PROCESS FILTERING ALGORITHM	Loren M.	Frank	loren@neurostat.mgh.harvard.edu
A Model of Binocular Bivalry based on Competition in IT	Luis F.	Lago-Fernandez	luis.lago@ii.uam.es
CODING UNCERTAINTY IN POPULATIONS OF NEURONS	Maneesh	Sahani	maneesh@gatsby.ucl.ac.uk
BLISS: Towards the Simulation of Brain-like Systems	Marc-Oliver	Gewaltig	Marc-Oliver.Gewaltig@hret.frd.honda.co.jp
Mutual Information as a Measure of Coherence in Very Large Neuronal Networks.	Marcelo	Camperi	camperi@usfca.edu
MODULATION AND MODELING OF PRESYNAPTIC FACILITATION	Maria	Bykhovskaya	mb8n@virginia.edu
A FINITE STATE AUTOMATON MODEL FOR MULTI-NEURON SIMULATIONS	Maria	Schilstra	m.j.1.schilstra@herts.ac.uk

USING INFORMATION THEORY FOR THE ANALYSIS OF CORTICAL REORGANIZATION IN A REALISTIC COMPUTATIONAL MODEL OF THE SOMATOSENSORY SYSTEM.	Marcelo	Mazza	mmazza@lac.usp.br
TSALLIS INFORMATION MEASURE APPLIED TO THE ANALYSIS OF EEG SIGNALS IN A MODEL OF THE SOMATOSENSORY SYSTEM.	Marcelo	Mazza	mmazza@lac.usp.br
SHANNON ENTROPY APPLIED TO THE ANALYSIS OF TONOTOPIC REORGANIZATION IN A COMPUTATIONAL MODEL OF CLASSICAL CONDITIONING.	Marilene	de Pinho	m pinho@lac.usp.br
ANALYSIS OF A MULTI-CONDUCTANCE INTEGRATED CIRCUIT MODEL OF A NEURON FOR CONSTRUCTING MOTOR PATTERN GENERATING NETWORKS	Mario	Simoni	mario@ece.gatech.edu
IQR: A distributed system for real-time real-world neuronal simulation	Mark	Blanchard	jmb@ini.phys.ethz.ch
A MODEL OF DELAYED REMAPPING IN THE DENTATE GYRUS	Mark C.	Fuhs	Mark.Fuhs@cs.cmu.edu
Are there separate velocity-to-position integrators for saccadic commands and VOR?	M.S.	Goldman	mark_g@mit.edu
Dynamic Modeling of Free-Running Hamster Circadian Rhythms	Matthew R.	Marler	mmarler@ucsd.edu
Population coding with unreliable spikes	Matthias	Bethge	mbethge@physik.uni-bremen.de
From the single neuron transfer function to the population dynamics	MAURIZIO	MATTIA	mattia@ibmtera.iss.infn.it
Role of Oscillations in Generating a Temporal Code from a Rate Code	Mayank R.	Mehta	mayank@mit.edu
Linearly Decodable Functions from Neural Population Codes	Michael B.	Westover	westovem@medicine.wustl.edu
Curved Feature Metrics in Models of Visual Cortex	Norbert	Mayer	norbert@chaos.gwdg.de
The Emergence of Movement Units Through Learning with Noisy Efferent Signals and Delayed Sensory Feedback	Michael	Kositsky	kositsky@cs.umass.edu
POINT-CONDUCTANCE MODELS OF CORTICAL NEURONS WITH HIGH DISCHARGE VARIABILITY	Michael	Rudolph	Michael.Rudolph@iaf.cnrs-gif.fr
THE HIGH CONDUCTANCE STATE OF CORTICAL NEURONS INDUCES NOVEL DYNAMICS OF DENDRITIC INTEGRATION	Alain	Destexhe	Alain.Destexhe@iaf.cnrs-gif.fr
DIRECTION OF MOTION MAPS IN THE VISUAL CORTEX: A WIRE LENGTH MINIMIZATION APPROACH	Alexei A.	Koulakov	akula@salk.edu

Information transmission by stochastic synapses with short term depression: neural coding and optimization	Nestor	Parga	nestor@ftnp.ft.uam.es
NeuroML for Plug and Play Neuronal Modeling	Nigel	Goddard	Nigel.Goddard@ed.ac.uk
A NEURAL NETWORK MODEL FOR MEMORY RETRIEVAL IN A PAIR ASSOCIATION TASK	Osamu	Hoshino	hoshino@cc.oita-u.ac.jp
DECOMPOSITION AND INTEGRATION OF MONOSYLLABIC INFORMATION FOR AUDITORY PERCEPTUAL PROCESS	Osamu	Hoshino	hoshino@cc.oita-u.ac.jp
A Model of Monkey Mirror Neuron System for Grasping	Erhan	Oztop	oztop@usc.edu
DECREASED TRANSITION BETWEEN OPEN AND INACTIVATED CHANNEL STATES UNDERLIES THE 5HT INDUCED INCREASE OF TTX-RESISTANT Na ⁺ CONDUCTANCE IN RAT NOCICEPTORS	Pablo	d'Alcantara	Pablo.dAlcantara@ulb.ac.be
Spatio-Temporal Patterns of Network Activity in the Inferior Olive	P.	Varona	pvarona@lyapunov.ucsd.edu
Modulation of Coherent Oscillations in Inhibitory Networks by Anesthetics	Pamela M.	Baker	pamela.baker@utoronto.ca
A Model of the Temporal-Sequence Selectivity of HVc Neurons in the Songbird	Patrick	Drew	drew@brandeis.edu
SPARSE CODING OF NATURAL CONTOURS	Patrik O.	Hoyer	patrik.hoyer@hut.fi
MULTISENSORY ENHANCEMENT IN THE SUPERIOR COLICULUS: DERIVING SIMPLE NEURAL IMPLEMENTATIONS FOR THE BAYES' RULE MODEL	Paul E.	Patton	ppatton@uiuc.edu
Spike-time reliability of periodically driven integrate-and-fire neurons	Paul	Tiesinga	tiesinga@salk.edu
Rules relating connections to cortical structure in primate prefrontal cortex	H.	Barbas	barbas@bu.edu
Topographic restoration of visual spatial attention in the cortically blind cat	C.C.	Hilgetag	claush@bu.edu
When NMDA receptor conductances increase inter-spike interval variability	Giancarlo	La Camera	lacamera@cns.unibe.ch
A PARALLEL GENERAL IMPLEMENTATION OF KOHONEN'S SELF-ORGANIZING MAP ALGORITHM: PERFORMANCE AND SCALABILITY	Piotr	Ozdzynski	pozdzyns@ucla.edu
COMPUTATION WITH CHAOTIC PATTERNS	Péter	András	peter.andras@ncl.ac.uk
Burst dynamics in the presence of noisy spike generation: mechanisms and time-series analysis	Peter	Rowat	prowat@ucsd.edu

External Termination of Recurrent Bursting in a Model of Connected Local Neural Sub-Networks	Pawel	Kudela	pkudela@jhmi.edu
A model of the modulation of the backpropagating action potential in a CA1 pyramidal neuron	F.J.	Rincker	rincker@psy.uva.nl
CAPACITY OF PERIRHINAL CORTEX NETWORK FOR RECOGNISING FREQUENTLY REPEATING STIMULI	Rafal	Bogacz	R.Bogacz@bristol.ac.uk
Generalized Synaptic Updating in Temporally Asymmetric Hebbian Learning	Ranit	Aharonov-Barki	ranit@alice.nc.huji.ac.il
Measuring Significance of Neural Elements: A Quantitative Approach	Ranit	Aharonov-Barki	ranit@alice.nc.huji.ac.il
Entrainment of Locomotor Rhythm in the Lamprey: Experimental confirmation of a model prediction.	Todd	Woodrich	Kentuckystudent@yahoo.com
A Nonlinear Encoder in Crayfish Sustaining Fibers	Raymon M.	Glantz	rmg@bioc.rice.edu
Do neurons try to anticipate their stimuli ?	Reinoud	Maex	reinoud@bbf.uia.ac.be
Encoding spatial stimulus topology in the temporal domain	Reto	Wyss	rwyss@ini.unizh.ch
Spike Train Analysis for Single Trial Data	Richard	Romero	rickr+@cmu.edu
Catacomb- an interactive model description and computation package	Robert C.	Cannon	cannon@inmed.univ-mrs.fr
A computational model of selfrepair in the cerebral cortex	A.Robert	Griffioen	griffioe@psy.uva.nl
A real-scale anatomical model of the dentate gyrus based on single cell reconstructions and 3D rendering of a brain atlas.	Ruggero	Scorcioni	rscorcio@gmu.edu
DEVELOPMENTAL TRANSITION OF HUMAN'S CORTICAL CONNECTIVITY	Ryuta	Fukuda	rf@sfc.keio.ac.jp
Observations and Modeling of Synchronized Bursting in 2D Neural Networks	Ronen	Segev	segevr@post.tau.ac.il
A quantitative evaluation of dominant membrane potential in generation of magnetic field using a pyramidal cell model at hippocampus CA3	Seiichi	Sakatani	sakatani@okabe.rcast.u-tokyo.ac.jp
Modeling Frequency Encoding in the Cricket Cercal Sensory System	Sharon	Crook,	crook@umemath.maine.edu
Functional Connectivity by Cross-Correlation Clustering	Silke	Dodel	silke@chaos.gwdg.de
A NEURODYNAMICAL MODEL TO SIMULATE NEURAL ACTIVITIES IN VISUAL ATTENTION EXPERIMENTS	Silvia	Corchs	silvia.corchs@mchp.siemens.de
Burst-Enhanced Synchronization in Arrays of Coupled Neurons	S.	Bahar	bahar@neurodyn.umsl.edu

A Neural Field Model for Saccade Planning in the Superior Colliculus: Speed-Accuracy Tradeoff in the Double-Target Paradigm	Stefan	Schneider	stefan.schneider@neuroinformatik.r uhr-uni-bochum.de
Coding of stimulus location by spike timing in rat somatosensory cortex	Rasmus S.	Petersen	petersen@sissa.it
The role of correlated firing and synchrony in coding information about single and separate objects in cat V1	Stefano	Panzeri	stefano.panzeri@ncl.ac.uk
THE EFFECTS OF LOW CHLORIDE FLUIDS ON LIGHT RESPONSES OF THE CATFISH RETINAL NEURONS	Sung-Jong	Lee	chris@cmc.cuk.ac.kr
The Influence of Synaptic Connectivity on the Pattern of Bursting Behavior in Model Pyramidal Cells	Keun-Hang	Yang	khyang@erl.neuro.jhmi.edu
A unified model of spatial and object attention based on inter-cortical biased competition	Gustavo	Deco	Gustavo.Deco@mchp.siemens.de
A Computational Model of Attentive Visual System Induced by Cortical Neural Network	Takamasa	Koshizuka	koshiz@f.rd.honda.co.jp
Modeling Directional Selectivity Using Self-Organizing Delay-Adaptation Maps	Tal	Tversky	tal@cs.utexas.edu
A Computational Approach to Memory Deficits in Schizophrenia	Lucia M.	Talamini	tal@psy.uva.nl
NemaSys: A nematode simulator for systems computational neuroscience	Thomas Charles	Ferree	ferree@cs.uoregon.edu
The size of receptive fields in inferior temporal visual cortex depend on attentional processing	Thomas P.	Trappenberg	Thomas.trappenberg@psy.ox.ac.uk
NONLINEAR ANALYSIS OF SPATIO-TEMPORAL RECEPTIVE FIELDS: I. DYNAMIC APPROXIMATION METHOD	Thomas	Wennekers	Thomas.Wennekers@mis.mpg.de
NONLINEAR ANALYSIS OF SPATIO-TEMPORAL RECEPTIVE FIELDS: II. DYNAMIC PROPERTIES OF V1 SIMPLE CELLS	Thomas	Wennekers	Thomas.Wennekers@mis.mpg.de
NONLINEAR ANALYSIS OF SPATIO-TEMPORAL RECEPTIVE FIELDS: III. GENERIC TUNING PROPERTIES FOR RECTIFYING RATE-FUNCTIONS	Thomas	Wennekers	Thomas.Wennekers@mis.mpg.de
NONLINEAR ANALYSIS OF SPATIO-TEMPORAL RECEPTIVE FIELDS: IV. RF-RECONSTRUCTION FROM MEAN-FIELD APPROXIMATIONS	Thomas	Wennekers	Thomas.Wennekers@mis.mpg.de
LOCAL CORRELATION-BASED ("PUSH-PULL") CIRCUITRY CAN ACCOUNT FOR NON-LINEAR SUMMATION OF STIMULI IN A MODEL OF CAT V1	T.Z.	Lauritzen	tzl@phy.ucsf.edu
The Ground State of Cortical Feed-Forward Networks	Tom	Tetzlaff	tom@chaos.gwdg.de

Modeling the layer-V cortical pyramidal neurons showing theta-rhythmic firing in the presence of muscarine	Tomoki	Fukai	tfukai@eng.tamagawa.ac.jp
Regulation of Coherence in Networks of Cortical Neurons Exhibiting Gamma Rhythmic Bursts	Toshio	Aoyagi	aoyagi@acs.i.kyoto-u.ac.jp
Input Shunt Networks and Biased Competition	Tsvi	Achler	achler@uiuc.edu
Synchronizing assemblies perform magnitude-invariant pattern detection	R.D.	Henkel	henkel@physik.uni-bremen.de
Application of Empirical Mode Decomposition and Hilbert- Transformation to Multisite Neuronal Data	Ulrich G.	Hofmann	hofmann@isip.mu-luebeck.de
Test of spike sorting algorithms on the basis of simulated data	Ulrich G.	Hofmann	hofmann@isip.mu-luebeck.de
Adaptive Filtering Algorithms for Neural Spike Trains	Uri T.	Eden	ueden@fas.harvard.edu
MODELLING TOPOLOGY PRESERVATION IN A CORTEX BY CONTROLLED SMOOTHING OF ITS ENERGY LANDSCAPE	Valery	Tereshko	tereshko@phys.belpak.mogilev.by
Stimulus representation in rat primary visual cortex: multi-electrode recordings and estimation theory	Winrich	Freiwald	freiwald@brain.uni-bremen.de
RECIPROCAL INHIBITION CONTROLS THE OSCILLATORY STATE IN THALAMIC NETWORKS: COMPUTATIONAL MODELING AND IN VITRO PHYSIOLOGY	Vikaas S.	Sohal	vikaas@stanford.edu
Distributed brain microstructure database system: an exoskeleton to 3D reconstruction and modeling	Bruce H.	McCormick	mccormick@cs.tamu.edu
Simulating the Transverse Non-Patterning Problem	Xiangbao	Wu	xw3f@virginia.edu
Evolution of Reinforcement Learning in Foraging Bees: A Simple Explanation for Risk-Averse Behavior	Yael	Niv	yaeln@cns.tau.ac.il
Role of Calmodulin and NMDA Receptor in Temporal Coding	Yoshihisa	Kubota	ykubota@cco.caltech.edu
Synfire Chains in a Balanced Network	Yuval	Aviel	aviel@cc.huji.ac.il
BUILDING A MEMORY USING BIOPHYSICALLY REALISTIC NEURONS	Zoran	Nenadic	zoran@zach.wustl.edu
PRINCIPAL COMPONENT ANALYSIS AND ESTIMATION IN TURTLE VISUAL CORTEX	Zoran	Nenadic	zoran@zach.wustl.edu
Distributed Synchrony	Zuohua	Zhang	zzhang@cs.rochester.edu
A GENETIC ALGORHYTM FOR OPTIMIZING A NEURAL NETWORK CAPABLE TO LEARN FOR FOOD SEARCHING IN A RADIAL MAZE	E.V.	Budilova	at@ateriokhin.home.bio.msu.ru

Morphometric Modeling of Olfactory Neurons in the Insect Brain	Giampaolo	D'Alessandro	G.D'Alessandro@maths.soton.ac.uk
A DYNAMICAL SYSTEMS APPROACH TO NEURAL COMPUTATION WITH SPIKES WITH A MODEL OF HEAD STATE ESTIMATION FOR VESTIBULO-OCULAR REFLEX CONTROL	Michael G.	Paulin	mike.paulin@stonebow.otago.ac.nz
Rank Order Decoding of Temporal Parallel Fibre Input Patterns in a Complex Purkinje Cell Model	Volker	Steuber	volker@bbf.uia.ac.be
A NEW MODEL FOR Ca+2 WAVES IN ASTROCYTES: GLUTAMATE INDUCED GLUTAMATE RELEASE	Melissa	Glendening	mglenden@chem.iupui.edu
A model of hippocampal circuitry mediating goal-driven navigation in a familiar environment	Anatoli	Gorchetchnikov	anatoli@cns.bu.edu
UTILITY THEORY AND NEURAL NETWORK MODELING OF COST-BENEFIT DECISION-MAKING IN A PREDATORY FORAGING MARINE SNAIL	L.S.	Yafremava	liudmila@spine.npa.uiuc.edu
A Unifying Model of Center/Surround Modulations of V1 Receptive Fields as a Function of the Position in the Orientation Map	Peggy	Seriès	Peggy.Series@iaf.cnrs-gif.fr
Resurrecting Marr's bones: a new look at "A Theory of Cerebellar Cortex"	Chris	Assad	Chris.Assad@jpl.nasa.gov
Predictive Learning in Rate-Coded neuronal Networks	Bernd	Porr	bp1@cn.stir.ac.uk
Mechanistic Modeling of the Retinogeniculate Circuit in Cat	Hans E.	Plessner	hans.plessner@itf.nlh.no
Short-term plasticity shapes normal and Parkinsonian activity patterns in the globus pallidus.	Jesse E.	Hanson	jhanson@emory.edu
Wiener Kernel Estimation for Neural Systems with Natural Inputs	Garrett B.	Stanley	gstanley@deas.harvard.edu
Transient synchrony as a collective mechanism for spatiotemporal integration	Carlos D.	Brody	brody@cshl.org
On the Functional Role of Noise Correlations in the Nervous System	Stefan D.	Wilke	swilke@physik.uni-bremen.de
A General Framework for Neurobiological Modeling: An Application to the Vestibular System	Chris	Eliasmith	eliasmith@uwaterloo.ca
POSTSYNAPTIC CURRENT ANALYSIS OF A MODEL PREFRONTAL CORTICAL CIRCUIT FOR SPATIAL WORKING MEMORY	Masafumi	Iida	masafu-i@sophia.ac.jp
CORRELATION ANALYSIS OF SIGNAL FLOW IN A MODEL PREFRONTAL CORTICAL CIRCUIT	Kazushige	Morooka	k-morook@sophia.ac.jp

MULTI-DIRECTIONAL REPRESENTATION OF SPATIAL WORKING MEMORY IN A MODEL PREFRONTAL CORTICAL CIRCUIT	Shoji	Tanaka	tanaka-s@sophia.ac.jp
CIRCUIT SIMULATION OF MEMORY FIELD MODULATION BY DOPAMINE D1 RECEPTOR ACTIVATION	Kouki	Yamashita	kooki-y@sophia.ac.jp
SYNAPTIC INTEGRATION IN SUBPIAL CELLS	Xiao	Luo	xiaoluo@midway.uchicago.edu
Rate Dynamics in Integrate-and-Fire Neurons: Two Regimes and Multiple Time Scales	Todd	Troyer	todd@psyc.umd.edu
Predictive Learning in Rate-Coded neuronal Networks	Bernd	Porr	bp1@cn.stir.ac.uk
An Alternate Burst Analysis for Detecting Intraburst Firings Based on Interburst Period	David C.	Tam	dtam@unt.edu
A MODULAR NEURODYNAMICS APPROACH TO BRAIN FUNCTION	Frank	Pasemann	frank.pasemann@rz.uni-jena.de
Software engineering tools and approaches for neuroinformatics: the design and implementation of the NeuroScholar Knowledge Base Management system.	Gully A. P. C.	Burns	gully@usc.edu
A Computational Neuroscience Account of Visual Neglect	Gustavo	Deco	Gustavo.Deco@mchp.siemens.de
Tuning Curves of Noisy Neuronal Oscillators	Hans Albert	Braun	braun@mail.uni-marburg.de
Exact solution of the nonlinear dynamics of recurrent neural mechanisms for direction selectivity	Martin	Giese	giese@mit.edu
INFORMATION STORAGE CAPACITY OF SYNAPTIC CONNECTIVITY PATTERNS	Armen	Stepanyants	stepanya@cshl.org
A NEURAL NETWORK MODEL FOR ENCODING AND PERCEPTION OF VOWEL SOUNDS	Osamu	Hoshino	hoshino@cc.oita-u.ac.jp
Toward statistically valid population decoding models	Péter	András	peter.andras@ncl.ac.uk
Development of joint ocular dominance and orientation selectivity maps in a correlation-based neural network model	Remus	Osan	remus@phyast.pitt.edu
The Effect of Correlation on Population Decoding	Si	Wu	s.wu@dcs.shef.ac.uk
A Hierarchical Network Model for Depth Segregation	Stella X	Yu	fxingyu@cs.cmu.edu
Edges and Lines minimally mask width discrimination of Rectangles	T.	Kumar	Kumart@socrates.berkeley.edu
Why Is Binocular Visual Space Distorted Compared to Physical Space ?	Taro	Maeda	maeda@star.t.u-tokyo.ac.jp

Contribution of Ca ²⁺ transporters to the electrical response of the non-spiking retinal neuron.	Yuki	Hayashida	yuki@muku98.ces.kyutech.ac.jp
NETWORKS OF PLANAR NEURAL ORGANIZING CENTERS	Walter G.	GALL	wgall@ric.edu
GROWTH MORPHOLOGY OF TWO-DIMENSIONAL INSECT NEURAL NETWORKS	Orit	Shefi	Sorit@ccsg.tau.ac.il
Classifying synaptic dynamics using multiple time scale expansion	Stefan	Mihalas	mihalas@caltech.edu
UTILITY THEORY AND NEURAL NETWORK MODELING OF COST-BENEFIT DECISION-MAKING IN A PREDATORY FORAGING MARINE SNAIL	L.S.	Yafremava	liudmila@spine.npa.uiuc.edu
Noise and the response of Hodgkin-Huxley-type neurons	Alix	Herrmann	alix.herrmann@ep .ch
Optimal wiring principle and plateaus in the degree of separation for cortical neurons	Jan	Karbowski	jkarb@euler.math.pitt.edu